

UT Southwestern Department of Radiology

Protocol Name: Kidney Tumor plus Pelvis

Orderable Name: CT ABDOMEN/PELVIS W AND WO IV AND PO CONTRAST

Adult only

Protocol Epic Button: Kidney Tumor + Pelvis

CTDIvol < 60 mGy
DLP < 12500 mGycm

Indications: Initial staging RCC, indeterminate kidney mass, post RFA, SBRT (Stereotactic Body Radiation Therapy)

Active Protocol

Acquisitions: 3

<p>Oral Contrast: None</p>	<p>IV Contrast: Link to Contrast Information Rate (mL/sec): P3T Volume (mL): P3T</p> <p>IV Access: Power injection: 20g or larger in large vein (prefer AC fossa or forearm)</p> <p>Notes:</p>	<p>Other Contrast: None</p>	<p>Airway: Full inspiration</p> <hr/> <p>Other Notes: Consult body habitus kVp selection chart.</p>
-----------------------------------	--	------------------------------------	---

Last Change: 1/19/2022 Last Review: 1/19/2022 Links: [kVp Body Chart](#) [General Statements](#)

Special Instructions			
Series Name	1 Noncontrast	2 Late Arterial	3 100 Sec Delayed
Phase Timing		Bolus tracking	100 seconds
Acquisition Protocol	Abdominal Contrast 3mm	Abdominal Contrast 3mm	Abdominal Contrast 3mm
Coverage	Kidneys	Diaphragm through kidneys	Diaphragm thru pubis symph
FOV	Whole body	Whole body	Whole body
Algorithm	Soft Tissue	Soft Tissue	Soft Tissue
Primary Axial Recon	3 mm	3 mm	3 mm
Other Recons	2 mm coronal and sagittal	2 mm coronal and sagittal	2 mm coronal and sagittal
MIP Recons			
*Dual Energy Philips		mono E 50, SBI	mono E 50, SBI
*Dual Energy Siemens		Iodine map, mono E 50	Iodine map, mono E 50

* When dual energy or spectral CT is used

